

## Addon : AWStats for ISPConfig 2

Contributed by DjTremors  
Saturday, 03 March 2007  
Last Updated Friday, 02 July 2010

For ISPConfig 3, please visit my main site Emperor-IT

Awstats mod has been provided by djTremors as is and holds no responsibility due to loss of information or data. Use at own risk.

This  
addon was provided to use in place of the builtin webalizer package  
which should be remarked from the crontab from starting 2 webstats  
software.

This addon provides a more dynamic view of your websites statistics and minimizes space by keeping all the data in the database.

It uses the `/etc/awstats/awstats.model.conf` as a main configuration and the per site configurations are stored in separate files.

To get to the stats page, browse the website followed by a `/stats` at the end ie `http://www.yourdomain.com/stats`

Authentication is done at 2 areas, the `/stats` page and the redirected page which is the generic page to all sites. The generic page allows all user logins but only the allowed logins for their specific sites respectfully so no one on the same server can see other sites pages.

#### Version 1.4.1 - Download

Removed alot of nagging things like the accidental dual crontab entry (first calls `awstats.php` and second does perl stats of all configs which `awstats.php` covered anyway).

Corrected my lazy admin user added 1 time per site. 10 sites, admin is listed 10 times in `.htpasswd` file.. now it's just last on the list.

Remarkd 2 lines for those who want to allow admins only to view stats or both admin+users to view, just remark out the users line if you want admins only. Wasn't going to go to the extreme and make a config for it.

#### Version 1.2

Some serious path issues which only worked if `httpd` home was `/home/httpd` (Have no idea why I had it this way). Now using `ISPConfigs` path.

Version 1.1

fixed some minor bugs (thanks to martinfst from the ISPC community).

:To install:

Create a temp folder. download and extract the file ispc.awstats-install.tgz

```
#mkdir tmp
```

```
#wget {url/download/file}
```

```
#tar xvfz ispc.awstats-install.tgz
```

Now run the installation script

```
# sh install.sh
```

The script will install as best it can for your distro, any problems should be alerted and some minor changes may need manual configuring.

"Sample output of an upgrade"

Extracting awstats files and configs

Patching httpd.conf

Found: Redhat compatible conf.d path

Adding crontab settings

WARNING: Crontab entry exists in /var/spool/cron/root. Check to be sure

Please restart your Apache server for changes to take effect

All websites stats are accessed via {website}/stats

Thanks to 'martinfst' for bug fixes/notes on changes

NOTE : Upon completion of the installation, make sure you edit the awstats.php file in /root/ispconfig/scripts/shell/awstats.php and edit the lines containing the admin username and password to use for global site admin logins otherwise the script will not run. Thanks to Claudio H. Imai who pointed this confusing bit out.